



MOUNTING FOAM

Polyurethane gun foam



application
from -5°C



excellent
grip



quick, easy,
clean assembly



short
curing time

When using the product, always follow the indications of the construction project or the generally applicable law or building standards.

DESCRIPTION

Professional, one-component, ready-to-use polyurethane foam in a pistol version. Designed for professional installation, sealing and soundproofing.

APPLICATION

- **installation of window and door frames**
- filling of gaps, holes, cracks and spaces where sound and heat insulation is required
- installation and sealing of window sills
- installation and insulation of cabling, technical communication channels

SALES TO DISTRIBUTORS

Contact for distributors of building materials.
Information about where to buy products.

yetico.com/contact

SALES TO INVESTORS

Contact for investors (business and individual),
contractors, architects, and designers.

yetico.com/contact

YETICO™

ADVANTAGES

- high adhesion to mineral substrates
- application over a wide temperature range
- excellent insulation without thermal and acoustic bridges
- convenient, fast and clean working
- high durability
- high efficiency

CONDITIONS OF USE

- Application temperature from -5°C up to +30°C, best results at +20°C
- Surfaces must be clean from dust, loose particles and oil
- Cured foam can be painted with water-based paints

PACKAGING

1000 ml aerosol can, 750 ml content. 12 pcs. per box.

STORAGE

Guaranteed suitability for use - printed on the can - when stored in factory sealed packaging in a dry place at a temperature between + 5°C and + 30°C. Foam must not be stored at temperatures above + 50°C, near heat sources or in direct sunlight - can burst. Store and transport in an upright position.

PARAMETERS

Characteristics	Unit	Value
Expansion (increase in foam height)	%	75% +/- 10%
Tensile strength perpendicular to faces	MPa	≥ 70
Shear resistance	kPa	≥ 50
Skin formation time	minutes	10-14





MOUNTING FOAM

HEADQUARTERS

YETICO S.A.
ul. Towarowa 17a
10-416 Olsztyn

+48 89 538 78 11
yetico@yetico.com
www.yetico.com

CUSTOMER SERVICE

OLSZTYN
+48 89 538 78 51 / 52

GALEWICE
+48 62 783 80 89 / 25

GORZÓW WLKP.
+48 95 720 97 01 / 02

TARNOBRZEG
+48 539 609 072
+48 532 916 779